GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Roads and Buildings Department – Vigilance Report – Allegations against R&B Officials in entrustment of Road Works in Patancheru, Medak District - Disciplinary Proceedings initiated against Sri P.Sridhar, the then Superintending Engineer (R&B) Medak Circle, Sangareddy, Telangana State (now Retd. as Chief Engineer (R&B) Buildings & RSW, AP) under Rule 9 of APRP Rules, read with Rule 20 of APCS (CCA) Rules, 1991 – AOC issued – Written Statement of Defence – Received - Further action dropped - Orders – Issued.

TRANSPORT, ROADS AND BUILDINGS (VIG.R&B) DEPARTMENT

G.O.RT.No. 182 Dated: 15-06-2020

Read the following

1.From the G.A (V&E) Dept., Govt. of Telangana, Vigilance Report No.13, dt.17.03.2017.
2.G.O.Ms.No.7, TR&B (Vig.) Dept., dt. 08.03.2019.
3.G.O.Rt.No.66, TR&B (Vig.) Dept., dt.08.03.2018.
4. Letter of No.1802/Vig. R&B(1)/2017-6, TR&B (V,R&B) Dept., Govt. of Telangana, dt.30.05.2019.

--::o0o::--

ORDER:

The GA (V&E) Dept., Govt. of Telangana, in the reference 1st read above has reported certain irregularities in entrustment of Road Works to M/s Srinivasa Infrastructures Pvt. Ltd., in Patancheru, Medak Dist. and recommended among others to initiate disciplinary action against Sri P.Sridhar, the then SE (R&B), Medak Circle, Sanga Reddy district.

2. Accordingly, Govt. vide G.O.2nd read above, have accorded sanction under Rule 9 of APRP Rules, 1980 to initiate departmental proceedings against, Sri P.Sridhar, the then SE (R&B), Medak Circle, Sanga Reddy district and in the reference 3 rd read above, Article of Charges were issued under rule 20 of APCS (CC&AR)1991 for irregularities mentioned in the V&E report of the Telangana state in the reference 1st read above.

3. In the reference 4th th read above, the T,R&B Department , Telangana State have stated that they have examined the Written Statement of Defence of Sri P.Sridhar, CE (R&B) Retd.. Further informed that they have issued warning against (1) Sri B. Naga Raju, AEE (R&B), O/o S.E., (R&B) Medak circle, Sangareddy and two others duly dropping further action in the matter, as they are also involved in this case, since there is no loss to the Government. Further stated keeping in view of the above position and remarks of the ENC (R&B) SR, the Govt., of Telangana, they have recommended to drop further action against Sri P.Sridhar, the then SE (R&B) (Retd.), Medak since there is no loss to the Government.

4. Government after careful examination of the matter, hereby drop further action against Sri P. Sridhar, the then Superintending Engineer (R&B) (Now Retired as Chief engineer (R&B) in A.P.), since there is no loss to Government in tender evaluation in two works, as recommended by Government of Telangana.

5. The Engineer-in-Chief(R&B) Administration, Vijayawada shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

M.T.KRISHNA BABU
PRINCIPAL SECRETARY TO GOVERNMENT

To
The individual through E-in-C (R&B) Administration, Vijayawada
The Engineer-in-Chief(R&B) Administration , Vijayawada.
Copy to:
The Principal Secretary to Government, TR&B Department,
Telangana Secretariat, Hyderabad.
SF/SC.

//FORWARDED BY ORDER//

SECTION OFFICER